


Have you seen any similar structure, with three height platforms and spiral slides before? **BIG-Towers** represent a real adventure for children. They can be customised with the theme of your choice.

| | | | |
|-----------|------------------|-------|----|
| A x B | | | |
| A=9520mm | 90m ² | 1.50m | 18 |
| B=10110mm | | | |



[Maintenance guide](#) | [Project sheet](#) | [CAD](#) | [Catalogue](#) | [HD image](#)

Materials:

Structure, Aluminium: 6005 cold extruded alloy and 2.5mm thick structural profiles. Extremely robust, offer excellent resistance to corrosion. All the aluminum profiles have special constructions in the grooves in which the connecting bolts are inserted for extra durability and greater anti-vandal resistance.

Panels, HDPE: high-density polyethylene characterised by its resistance to chemical abrasives. As a polymer, it is unaffected by corrosion. Due to its light elastic nature, it offers high resistance to impact, making it very difficult to break.

Metallic parts: AISI-304 stainless steel, hot-dip galvanized steel and aluminium.

Fixings: electro galvanized and stainless steel quality 8.8 DIN267, AISI-304.

- None of the materials requires a specific treatment for its disposal.
- If the product is subject to severe use, maintenance should be increased.
- Don't use the product before the installation/maintenance is ready.
- Please check the maintenance instructions.


Biggest part (mm): 3340x40x40 / Heaviest part (kg): 44

IMPACT ZONE: security area and ground coverings according to the EN1176-1:2017 standard.

Spare parts availability: 10 years.

Ground anchoring screws not included.

Playful features:



Alternatives:




[JTEM03](#)



[JTEM02](#)

Projects:



The constant improvement and evolution of our products may result in some modifications of the technical specifications and characteristics of the products without prior notice.

BENITO

info@benito.com
tel. 93 852 1000